




MESLA
ENERGY

6IN 12W 3CCT Damp Location Round White Slim Panel Lights

Part #: LP6RD12W3CCT-WH
2020-10 V3.0



**Color
Changeable**



IC Rating



Dimmable



Energy Star



ETL



3 Color Options

- Set the color before installation



3000K 4000K 5000K

Three Colors 4" LED Panel Lights give you a perfect lighting solution, with 3 color temperatures to choose from & create different ambience to your space.





DIP Switch Color Changeable:




Timesaver and Changing Color according to different Application.

Three Color Setting Switch



BNI / BLK Color trims changeable:




Simply fix your color trim to your recessed slim light
and secure it with the clip

Advantages:




Small Junction Box with
Bigger Inner Size

Four Holes Junction Box
for Wire Connections from
different directions.



Our Junction Box can be well
used to the small space with
wooden in the middle, without
any damage to the ceiling.



ANTI-GLARE DESIGN

Anti-Glare Circle For Recessed Pannel Light



High Efficiency ,9W=80W
Special Design ,Anti-glare
Harmless to Eyes
Not Feeling Dizzy

Common LED Lighting

Anti-Glare CircleLED
Lighting



IC Rating



Dimmable



Energy Star



Intertek
ETL



Features

1. 6inch 12W
2. With Junction box, compatible for North America's installation regulation requirement.
3. ETL Energy Star approved, 5 years warranty.
4. Triac dimmable.


Notice:

1. Cutting off the electricity before installation.
2. Installation can only be done by qualified electrician.
3. Input voltage is AC120V 50/60Hz. Please kindly confirm the voltage before installation.
4. If the down lights can't work normally, please contact our customer service.
5. It will be out of warranty if damage is caused by personal mistake.

Specification for Order Form

YG Part #:

Item No.	Voltage	Watt	Lighting Color	CCT	Dimmable	Certificates
LP6RD12W3CCT-WH	AC120V	12w	3CCT(3K/4K/5K All in one)	3CCT	YES	ETL Energy Star



Application

- 1- home, office, factory, warehouse, parking lot;
- 2- market, school, library, hospital, museum;
- 3- home lighting;



Certificates



LED SLIM PANEL LIGHT

3in

4in

6in

8in

12in

ETL /cETL/Energy Star Listed

High Brightness

Suitable for Damp and Wet Locations

Both Round and Square are available

3CCT color changeable

YG Patented Mold



Parameters

Electrical Characteristics		
Input Voltage		120V AC 50~60Hz
Rated Power		12W
Replacement		100W Halogen
Installation of LED Driver		External
Type of LED Driver		Constant current output
Power Factor		0.95~0.98
Operating Temperature		-10℃-40℃
Optical Characteristics		
LED Type		SMD2835
Brand of LED Chip		Taiwan Epistar
Lumen		1000lm
Life Span Based on 3hrs/day		45years
CRI		>80
Beam Angle		180 degree
CCT		3CCT (3K/4K/5K all in one)
Other		
Energy Level		A
Warranty		5 years
Working Hours		50,000hrs
IP range		IP44
Material		Aluminum housing with PMMA lampshade

YG Dimmer List

Lutron Brand: Leviton Brand:

- CTCL-1533PHD-WH-C6681-732
- DV-600PR-WH-CIPSD6-722
- MA-LFQHW-WH-C
- MACL-153MH-WH-C
- TT-300H-WH-CSA
- MACL-153MRHW-WHC
- CT-600P
- SCL-153P
- CTCL-153P
- DVCL-153P
- MACL-153M
- S-600P



Installation

